



# Pacific Blue

## Blue Spray Pattern Indicator

**TS Pro Pacific Blue** is a temporary blue spray pattern indicator formulated to provide visual evidence of where a spray application has been made. TS Pro Pacific Blue eliminates waste due to overlapping and skipping, while it indicates drift and mechanical malfunction. TS Pro Pacific Blue is nontoxic.

Applications	Rates & Comments
For use with pesticides registered for aquatics, forestry, industrial, municipal, noncropland, rights-of-way, ornamentals, turfgrass and other appropriate uses.	<b>Broadcast Application:</b> 16-32 ounces per 100 gallons (500-1000 ml per 400 liters) of spray solution. <b>Hand-held and Back-Pack Sprayers:</b> 1-2 ounces per 3 gallons (25-50 ml per 10 liters) of spray solution.
Turf or weed color, height, and individual water conditions, such as hardness, pH, iron content, etc., may dictate variations from the above suggested rates. Sight adjustment is recommended. Test for required concentration before use and adjust as needed.	

F002038

**Guaranteed by:**  
Residex, LLC

**Net Contents:** 2.5 Gallons (9.5 L)  
**Net Weight:** 21.7 lbs (9.9 Kg)

15415 Marquardt Avenue  
Santa Fe Springs, CA 90670  
Phone: 800-352-3870

**Caution: Keep out of Reach of Children**



# TS Pro Pacific Blue

## Blue Spray Pattern Indicator



### CAUTION: KEEP OUT OF REACH OF CHILDREN

#### PRECAUTIONARY STATEMENTS

Before using this product, read the entire label, including the conditions of sale.

#### STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Give a large amount of water to drink. DO NOT induce vomiting. Seek medical attention immediately.
- If Inhaled: Remove to fresh air.
- If In Eyes: Flush with water for 15 minutes. Seek medical attention immediately.
- If On Skin: Remove contaminated clothing. Wash skin contact area with plenty of soap and water.

#### GENERAL INFORMATION

TG Pro Pacific Blue is a temporary blue spray pattern indicator formulated to provide visual evidence of where a spray application has been made. TG Pro Pacific Blue eliminates waste due to overlapping and skipping, while it indicates drift and mechanical malfunction.

TG Pro Pacific Blue is nontoxic.

#### DIRECTIONS FOR USE

For use with pesticides registered for aquatics, forestry, industrial, municipal, noncropland, rights-of-way, ornamentals, turfgrass and other appropriate uses.

**CONDITIONS OF SALE** Read the information contained herein before buying or using this product. If the stated terms are unacceptable, return the product at once, unopened. It is critical that this product be used and mixed only as specified on this label. Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied, with respect to the results from the use of this material. Buyer and user assume all risks of use and/or handling. RESIDEX LLC warrants that this material is reasonably fit for use as specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond RESIDEX LLC's control prevent elimination of risks in connection with the use of its chemicals. Such risks include, but are not limited to, damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated hereon and even though label directions are followed. Follow directions carefully. Timing, mixture, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law, the exclusive remedy of the user or buyer and the limit of liability of the Company or any other seller for any and all losses, personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the product involved.

#### USE RATES

Broadcast Application: 16-32 ounces per 100 gallons (500-1000 ml per 400 liters) of spray solution.

Hand-held and Back-Pack Sprayers: 1-2 ounces per 3 gallons (25-50 ml per 10 liters) of spray solution.

Turf or weed color, height, and individual water conditions, such as hardness, pH, iron content, etc., may dictate variations from the above suggested rates. Sight adjustment is recommended. Test for required concentration before use and adjust as needed.

#### MIXING

In the absence of specific mixing recommendations by the basic pesticide manufacturer, use the following mixing procedure:

1. Fill spray tank  $\frac{1}{2}$  full of desired water volume.
2. While agitating, add the appropriate amount of TG Pro Pacific Blue for the entire desired finished spray volume.
3. Continue filling the spray tank to  $\frac{3}{4}$  of desired level.
4. Begin adding pesticides in the following order: a. Dry flowables and dispersible granule pesticides. b. Flowables. c. Water-soluble pesticides. d. Emulsifiable concentrate pesticides.
5. Add additional adjuvants, if required.
6. Continue agitation and finish filling spray tank to desired level.

#### STORAGE AND DISPOSAL

Protect product from freezing. If product freezes, warm to room temperature before use. Store in original container only and do not reuse empty container. Rinse container thoroughly and dispose of the container in accordance with federal, state and local regulations.

Contact For 24-hour emergency service when using this product in the USA and Canada, call CHEMTREC: 1-800-424-9300  
RESIDEX LLC • Customer Service: 800-352-3870 • [www.residex.com](http://www.residex.com)

**Net Contents: 2.5 Gallons (9.5 L)**  
**Net Weight: 21.7 lbs (9.9 Kg)**

Size: 6.75 x 6.75" CMYK